

ZMK (22) 3/06, S. 126 ff

Prof. Dr. Rudolf Beer, Dennis Belger, Matthias Stelzner,

Literatur zum Artikel „Die Wurzelkanalfüllung mit thermoplastischer Guttapercha in Abhängigkeit von der Instrumentationstechnik und der Erfahrung des Behandlers“.

1. Allison, A., Weber, C.R., Walton, R.E.: The influence of the method of canal preparation on the quality of apical and coronal obturation. *J. Endod.* 1979 Oct; 5(10): 298-304
2. Barthel, C.R., Moshonov, J., Shuping, G., Ørstavik, D.: Bakterial leakage versus dye leakage in obturated root canals. *Int. Endod. J.* 1999; 32: 370-375
3. Baumann MA, Roth A: Effect of experience on quality of canal preparation with rotary nickel - titanium files. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1999; 88; 714-718
4. Bergmans, L, Van Cleynenbreugel, J., Beullens, M., Wevers, M., Van Meerbeek, B., Lambrechts, P. Progressive versus constant tapered shaft design using NiTi rotary instruments. *Int. Endod. J.* 2003 Apr; 36(4): 288-95
5. Boussetta, F., Bal, S., Romeas, A., Boivin, G., Magloire, H., Farge, P.: In vitro evaluation of apical microleakage following canal filling with coated carrier system compared with lateral and thermomechanical gutta-percha condensation techniques. *Int. Endod. J.* 2003 May; 36(5): 367-71
6. Cadenaro M, Mauri P, Di Lenarda R: Apical gutta-percha distribution related to endodontic preparation conicity. *Int Endod J* 2000; 33; 145-148
7. Clark DS, ElDeeb ME: Apical Sealing Ability of Metal Versus Plastic Carrier Thermafil Obturators. *J Endod* 1993; 19; 4-9
8. Da Silva D, Endal U, Reynaud A, Portenier I, Orstavik D, Haapasalo M: A comparative study of lateral condensation, heat-softened gutta-percha, and a modified master cone heat-softened backfilling technique. *Int Endod J* 2002; 35; 1005-1011
9. De Moor, R.J., de Boever, J.G. : The sealing ability of an epoxy resin root canal sealer used with five gutta-percha obturation techniques. *Endod. Dent. Traumatol.* 2000; 16: 291-297
10. De Moor RJG, Hommez G : The long term sealing ability of an epoxy resin root canal sealer used with five gutta percha obturation techniques. *Int Endod J* 2002; 35; 275-282

11. De Moor RJG, Martens LC : Apical microleakage after lateral condensation, hybrid gutta-percha condensation and Soft-Core obturation : an in vitro evaluation. *Endod Dent Traumatol* 1999; 15; 239-243
12. Fückler S, Frentzen M: Histological results after root canal treatment by the ProFile/Thermafil system, an in vitro study. *Int Endod J* 2000; 33; 147-149
13. Gencoglu NJ
14. Comparison of 6 different gutta-percha techniques (part 2): Thermafil, JS Quick-Fill, Soft-Core, Microseal, System B, and lateral condensation.
15. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003; 96; 91-95
16. Hata, G., Kawazoe, S., Toda, T., Weine, F.S.: Sealing ability of Thermafil with and without sealer. *J. Endod.* 1992 Jul; 18(7): 322-326
17. Hata, G., Uemura, M., Kato, A.S., Imura, N., Novo, N.F., Toda, T.: A comparison of shaping ability using ProFile, GT file, and Flex-R endodontic instruments in simulated canals. *J. Endod.* 2002 Apr; 28(4): 316-21
18. Hayes SJ, Gibson M, Hammond M, Bryant S, Dummer PMH: An audit of root canal treatment performed by undergraduate students. *Int Endod J* 2001; 34; 501-505
19. Juhlin JJ, Walton RE, Dovgan JS: Adaption of Thermafil components to canal walls. *J Endod* 1993; 19; 130-135
20. Karagoz-Kucukay, I., Kucukay, S., Bayirli, G.: Factors affecting apical leakage assessment. *J. Endod.* 1993 Jul; 19(7): 362-5
21. Kugler S.: Vergleichende Bewertung der Wurzelkanalaufbereitung mit unterschiedlichen Nickel-Titan Systemen in Abhängigkeit von der Behandlungserfahrung. *Med. Diss, Witten, 2003*
22. Oliver CM, Abbott PV: Correlation between clinical success and apical dye penetration. *Int Endod J* 2001; 34; 637-644
23. Pertot W: How to use Thermafil successfully. *Endod Pract*; Mai 2000
24. Peters, O.A., Barbakow, F., Peters, C.I.
25. An analysis of Endodontic treatment with three nickel-titanium rotary root canal preparation techniques. *Int. Endod. J.* 2004 Dec; 37(12): 849-59
26. Pollard, B.K., Weller, R.N., Kulild, J.C.
27. Standardized technique for linear dye leakage studies: immediate versus delayed immersion times. *Int. Endod. J.* 1990 Sep; 23(5): 250-3

28. Roland, D.D., Andelin, W.E., Browning, D.F., Hsu, G.H., Torabinejad, M.
29. The effect of preflaring on the rates of separation for 0.04 taper nickel-titanium rotary instruments. *J. Endod.* 2002 Jul; 28(7): 543-5
30. 27. Salehrabi, R., Rotstein, I. Endodontic treatment outcomes in a large patient population in the USA: an epidemiological study. *J. Endod.* 2004 Dec; 30(12): 846-850
31. 28. Schäfer, E., Zapke, K. Vergleichende rasterelektronenmikroskopische Untersuchungen manuell und maschinell aufbereiteter Wurzelkanäle. *Dtsch. Zahnärztl. Z.* 1999; 54 (9), 551-558
32. 29. Scott, A.C., Vire, D.E., Swanson, R.: An evaluation of the Thermafil endodontic obturation technique. *J. Endod.* 1992 Jul; 18(7): 340-3
33. 31. Spalteholz, W.: Über das Durchsichtigmachen von menschlichen und tierischen Präparaten und seine theoretischen Bedingungen. 1914; Hirzel, Leipzig
34. 32. Tan, B.T., Messer, H.H.: The effect of instrument type and preflaring on apical file size determination. *Int. Endod. J.* 2002 Sep; 35(9): 752-8
35. 33. Usman, N., Baumgartner, J.C., Marshall, J.G.: Influence of instrument size on root canal debridement. *J. Endod.* 2004 Feb; 30(2): 110-2
36. 34. Wang, Q., Xiong, S.J., Dou, H.Q., Zhou, R.E.: The effect of coronal preflaring on the working length measurement of root canals in molars. *Shanghai Kou Qiang Yi Xue.* 2004 Jun; 13(3): 179-81
37. 35. Wu, M-K., Wesselink, P.R.: Endodontic leakage studies reconsidered. Part I. Methodology, application and relevance. *Int. Endod. J.* 1993; 26: 37-43