

ZMK 11/06 (22) 720 ff.

Prof. Dr. Susanne Kneist

Literaturliste zum Artikel: Chlorhexidin in der zahnärztlichen Praxis - Möglichkeiten und Grenzen

1. Addy, M, Jenkins, S, Newcombe, R: The effect of some chlorhexidine-containing mouthrinses on salivary bacterial counts. *J Clin Periodontol* 18 (1991) 90-93.
2. Alaluusua, S, Renkonen, OV: *Streptococcus mutans* establishment and dental caries experience in children from 2 to 4 years old. *Scand J Dent Res* 91 (1983) 453-457.
3. Arends, J, Ruben, J: Chlorhexidine CHX release by dentin after varnish treatment. *Caries Res* 27 (1993) 235-236.
4. Bader, DJ, Shugars, A, Bonito, AJ: Systematic reviews of selected dental caries diagnostic and management methods. *J Dent Educ* 65 (2001) 960-968.
5. Baker, PJ, Coburn, RA, Genco, RJ, Evans, RT : Structural determinants of activity of chlorhexidine and alkyl bisbiguanides against the human oral flora. *J Dent Res* 66 (1987) 1099-1106.
6. Balnyk, TE, Sandham, HJ: Development of sustained-release antimicrobial dental varnishes effective against streptococcus mutans in vitro. *J Dent Res* 64 (1985) 1356-1360.
7. Banting, D, Bosma, M, Bollmer, B: Clinical effectiveness of a 0,12% chlorhexidine mouthrinse over two years. *J Dent Res* 68 (1989) Spec Iss, 1716-1718.
8. Barkvoll, P, Rølla, G, Bellagrama, S: Interaction between chlorhexidindigluconate and sodiummonofluorophosphat in vitro. *Scand J Dent Res* 96 (1988) 30-33.
9. Barkvoll, P, Rolla, G, Svendsen K: Interaction between chlorhexidine digluconate and sodium lauryl sulfate in vivo. *J Clin Periodontol* 16 (1989) 593-595.
10. Batoni, G, Pardini, M, Giannotti, A, Ota, F, Giuca, MR, Gabriele, M, Campa, M, Senesi, S: Effect of removable orthodontic appliances on oral colonisation by mutans streptococci in children. *Eur J Oral Sci* 109 (2001) 388-392.
11. Berkowitz, RJ, Jordan, HV, White, G: The early establishment of *Streptococcus mutans* in the mouth of infants. *Arch Oral Biol* 20 (1975) 171-174.
12. Berkowitz, RJ, Turner, J, Green, P: Primary oral infection in infants with *Streptococcus mutans*. *Arch Oral Biol* 25 (1980) 221-224.
13. Berkowitz, RJ, Turner, J, Green, P: Maternal level of *Streptococcus mutans* and primary oral infection in infants. *Arch Oral Biol* 26 (1981) 147-149.
14. Bjerklin, K, Garskog, B, Ronnerman, A: Proximal caries increment in connection with orthodontic treatment with removable appliances. *Br J Orthod* 10 (1983) 21-24.
15. Bonesvoll, P: Influence of ionic strength, calcium, sodium dodecyl sulphate and urea on the retention of chlorhexidine in the human mouth after mouth rinses. *Arch Oral Biol* 22 (1977) 273-279.

16. Bonesvoll, P, Lökken, P, Rolla, G, Paus, PN: Retention of chlorhexidine in the human oral cavity after mouth rinses. *Arch Oral Biol* 19 (1974) 209-212.
17. Bonesvoll, P, Gjermo, P: A comparison between chlorhexidine and some quaternary ammonium compounds with regard to retention salivary concentration and plaque-inhibiting effect in the human oral cavity after mouth rinses. *Arch Oral Biol* 23 (1977) 289-294.
18. Borutta, A, Kneist, S, Eherler, D, Chemnitius, P: Oral health and occurrence of salivary *S. mutans* in children. *Int Poster J Dent Oral Med* 4 (2002a) 128.
19. Brightman, LJ, Terezhalmay, GT, Greenwell, H, Jakobs, M, Enlow, DH: The effect of a 0,12% chlorhexidine gluconate mouthrinse on orthodontic patients aged 11 through 17 with established gingivitis. *Am J Orthod Dentofacial Orthop* 100 (1991) 324-329.
20. Briner, WW, Grossman, E, Bruckner, RY, Rebitski, GF, Sox, TE, Setser, RE, Ebert, ML: Effect of chlorhexidine gluconate mouthrinse on plaque bacteria. *J Periodont Res* 21 (1986) Suppl, 44-52.
21. Briner, W, Buckner, R, Rebitski, G, Manhart, M, Banting, D: Effect of two years' use of 0,12% chlorhexidine on plaque bacteria. *J Dent Res* 68 (1989) 1719-1721.
22. Carlsson, J, Grahnén, H, Jonsson, G: Lactobacilli and streptococci in the mouth of children. *Caries Res* 9 (1975) 333-339.
23. Catalanotto, FA, Shklair, IL, Keene, HJ: Prevalence and localisation of *Streptococcus mutans* in infants and children. *J Am Dent Assoc* 91 (1975) 606-609.
24. Caufield, PW, Cutter, GR, Dasanayake, AP: Initial acquisition of mutans streptococci by infants: evidence for a discrete window of infectivity. *J Dent Res* 72 (1993) 37-45.
25. Cleghorn, B, Bowden, GH: The effect of pH on the sensitivity of species of lactobacillus to chlorhexidine and the antibiotics minocycline and spiramycin. *J Dent Res* 68 (1989) 1146-1150.
26. Davies, GE, Francis, J, Martin, AR, Rose, FL, Swain, G: 1:6-di 4'-chlorophenyl-diguanidohexane („Hibitane“). Laboratory investigation of a new antibacterial agent of high potency. *Br J Pharmacol* 9 (1954) 192-196.
27. Den Besten, P, Berkowitz, R: Early childhood caries: an overview with reference to our experience in California. *J Calif Dent Assoc* 31 (2003) 139-143.
28. Denton, GW: Chlorhexidine. In: Black, SS (Hrsg): *Disinfection, Sterilisation and Preservation*. 4th ed. Philadelphia: Lea and Febinger, 1990.
29. Edwardsson, D, Mejare, B: *Streptococcus milleri* and *Streptococcus mutans* in the mouth of infants before and after tooth eruption. *Arch Oral Biol* 23 (1978) 811-814.
30. Emilson, CG: Susceptibility of various microorganisms to chlorhexidine. *Scand J Dent Res* 85 (1977) 255-265.
31. Emilson, CG: Effect of chlorhexidine gel treatment on streptococcus mutans population in human saliva and dental plaque. *Scand J Dent Res* 89 (1981) 239-246.

32. Emilson, CG: Potential efficacy of chlorhexidine against mutans streptococci and human dental caries. *J Dent Res* 73 (1994) 682-691.
33. Emilson, CG, Fornell, J: Effect of toothbrushing with chlorhexidine gel on salivary microflora, oral hygiene, and caries. *Scand J Dent Res* 84 (1976) 308-319.
34. Emilson, CG, Lindquist, B: Importance of infection level of mutans streptococci for recolonization of teeth after chlorhexidine treatment. *Oral Microbiol Immunol* 3 (1983) 64-67.
35. Fardal, O, Turnbull, RS: A review of the literature on use of chlorhexidine in dentistry. *J Am Dent Assoc* 112 (1986) 863-869.
36. Flotra, L: Different modes of chlorhexidine application and related side effects. *J Periodontal Res* 8 (1973) Suppl, 41-44.
37. Fujiwara, T, Sasada, E, Mina, N, Oshima, T: Caries prevalence and salivary mutans streptococci in 0 - 2 year old children of Japan. *Community Dent Oral Epidemiol* 19 (1991) 151-154.
38. Gehlen, I, Netuschil, L, Georg, Th, Reich, E, Berg, R, Katsaros, C: Die Auswirkungen einer 0,2%igen Chlorhexidinspülung auf die Plaquebildung bei jugendlichen kieferorthopädischen Patienten mit festsitzender Behandlungsapparatur. *Fortschr Kieferorthop* 61 (2000) 138-141.
39. Gjeremo, P: Some aspects of drug dynamics as related to oral soft tissue. *J Dent Res* 54 (1975) Spec Iss B, 44-56.
40. Gjeremo, P: Chlorhexidine and related compounds. *J Dent Res* 68 (1989) Spec Iss, 1602-1608.
41. Gjeremo, P, Bonesvoll, P, Rølla, G: Relationship between plaque-inhibiting effect and retention of chlorhexidine in the human oral cavity. *Arch Oral Biol* 19 (1974) 143-152.
42. Harold, FM, Baarda, JR, Baron, C, Abrams, A: Dio 9 and chlorhexidine: inhibitors of membran-bound ATPase and of cation transport in *Streptococcus faecalis*. *Biochim Biophys Acta* 183 (1969) 129-136.
43. Heintze, SD, Twetman, S: Interdental mutans streptococci suppression in vivo: a comparison of different chlorhexidine regimes in relation to restorative material. *Am J Dent* 15 (2002) 103-108.
44. Hennessey, TD: Some antibacterial properties of chlorhexidine. *J Periodontal Res* 8 (1973) Suppl, 61-67.
45. Hennessey, TD: Antibacterial properties of Hibitane. *J Clin Periodontol* 4 (1977) 36-48.
46. Hjeljord, LG, Rølla, G, Bonesvoll, P: Chlorhexidine-protein interactions. *J Periodontal Res* 8 (1973) Suppl, 11-16.
47. Hollender, L, Ronnerman, A: Proximal caries progression in connection with orthodontic treatment. *Swed Dent J* 2 (1978) 153-160.

48. Hugo, WB, Longworth, AR: The effect of chlorhexidine on the electrophoretic mobility, cytoplasmic constituents, dehydrogenase activity and cell walls of escherichia coli and staphylococcus aureus. *J Pharm Pharmacol* 18 (1966) 569-578.
49. Huizinga, ED: Antimicrobial varnish and root surface caries. Thesis, Univ Groningen 1991.
50. Ie, YL, Schaeken, MJM: Effect of single and repeated application of chlorhexidine varnish on mutans streptococci in the plaque from fissures of premolar and molar teeth. *Caries Res* 27 (1993) 303-306.
51. Jenatschke, F, Elsenberger, E, Welte, HD, Schlagenhaut, U: Einfluss wiederholter Chlorhexidin-Lack-Anwendungen auf Mutans-Streptokokken-Zahlen und Karieszuwachs bei Multibandpatienten. *Fortschr Kieferorthop* 1 (2001) 36-45.
52. Katz, S: The use of fluoride and chlorhexidine for the prevention of radiation caries. *J Am Dent Assoc* 104 (1982) 164-170.
53. Keltjens, HMAM, Schaeken, MJM, van der Hoeven, JS: Microbial aspects of preventive regimes in patients with overdentures. *J Dent Res* 66 (1987) 1579-1582.
54. Kidd, EAM: Role of chlorhexidine in the management of dental caries. *Int Dent J* 41 (1991) 279-286.
55. Klimm, W, Pfister, W, Eick, S, Koch, R: Antimicrobial effect of low concentrations of chlorhexidine and sodium hypochlorite. 79th General Session of the IADR, Chiba 2001, Abstr 1565.
56. Kneist, S, Heinrich-Weltzien, R, Fischer, T, Stößer, L: Mikrobiologische Speicheltests - mehr als eine Motivation? *Quintessenz* 49 (1998) 139-148.
57. Köhler, B, Bratthall, D: Intrafamilial levels of Streptococcus mutans and some aspects of the bacterial transmission. *Scand J Dent Res* 86 (1978) 35-42.
58. Köhler, B, Andreen, I, Jonsson, B: The effect of caries-preventive measures in mothers on dental caries and the oral presence of the bacteria Streptococcus Mutans and lactobacilli in their children. *Arch Oral Biol* 29 (1984) 879-883.
59. Kozai, K, Wang, DS, Sandham, HJ, Phillips, HI: Changes in strains of Mutans Streptococci induced by treatment with chlorhexidine varnish. *J Dent Res* 70 (1991) 1252-1257.
60. Kristoffersson, K, Bratthall, D: Transient reduction of Streptococcus mutans interdentally by chlorhexidine gel. *Scand J Dent Res* 90 (1982) 417-422.
61. Li, Y, Caufield, PW: The fidelity of initial acquisition of mutans streptococci by infants from their mother. *J Dent Res* 74 (1995) 681-685.
62. Linden, LA, Björkman, F, Hattab, F: The diffusion in vitro of fluoride and chlorhexidine in the enamel of human deciduous and permanent teeth. *Arch Oral Biol* 31 (1986) 33-37.

63. Long, NP, Catalanotto, FA, Knopfli, RU, Antczak, AA: Quality specific taste impairment following the applicatin of chlorhexidine diglonate mouthtinses. *J Clin Periodontol* 15 (1988) 43.
64. Loe, H, Rindom-Schiott, C: The effect of suppression of the oral microflora upon the formation of dental plaque. In: Hugh, WD (Hrsg): „Dental plaque“. Edinburg: Livingstone, 1970. S. 247-256.
65. Lopez, L, Berkowitz, R, Spiekerman, C, Weinstein, P: Topical antimicrobial therapy in the prevention of early childhood caries: a follow up report. *Pediatr Dent* 24 (2002) 204-206.
66. Lundström, F, Krasse, B: Streptococcus mutans and lactobacilli frequency in orthodontic patients: the effect of chlorhexidine treatments. *Eur J Orthod* 9 (1987a) 109-116.
67. Lundström, F, Krasse, B: Caries incidence in orthodontic patients with high levels of streptococcus mutans. *Eur J Orthod* 9 (1987b) 117-121.
68. Mackenzie, IC, Nuki, K, Loe, H, Briner, WW: Two years oral use of chlorhexidine in man. V. Effects on stratum corneum of oral mucosa. *J Periodontal Res* 11 (1976) 165-171.
69. Madlena, M, Nagy, G, Nemes, J, Keszthelyi, G: Dietary habits and oral hygiene in school children in the city of Debrecen. *Fogorv Sz* 86 (1993) 305-313.
70. Maltz, M, Zickert, I, Krasse, B: Effect of intensive treatment with chlorhexidine on number of streptococcus mutans in saliva. *Scand J Dent Res* 89 (1981) 445-449.
71. Marsh, PD: Microbiological aspects of the chemical control of plaque and gingivitis. *J Dent Res* 71 (1992) 1431-1438.
72. Marsh, PD, Keevil, CW, McDermid, AS, Williamson, MI, Ellwood, DC: Inhibition by the antimicrobial agent chlorhexidine of acid production and sugar transport in oral streptococcal bacteria. *Arch Oral Biol* 28 (1983) 233-240.
73. Masuda, N, Tsutsumi, N, Sobue, S, Hamada, S: Longitudinal survey of the distribution of various serotypes of Streptococcus mutans in infants. *J Clin Microbiol* 10 (1979) 497-502.
74. McDermid, AS, Marsh, PD, Keevil, CW, Ellwood, DC: Additive inhibitory effects of combinations of fluoride and chlorhexidine on acid production by streptococcus mutans and streptococcus sanguis. *Caries Res* 19 (1985) 64.
75. Menzaghi, N, Saletta, M, Garattini, G, Brambilla, E, Strohmenger, L: Changes in the yeast oral flora in patients in orthodontic treatment. *Prev Assist Dent* 17 (1991) 26-30.
76. Miller, WD: Über pathogene Mundpilze. Inaugural-Dissertation. Berlin: 1887.
77. Miller, WD: Die Mikroorganismen der Mundhöhle. Die örtlichen und allgemeinen Erkrankungen, welche durch dieselben hervorgerufen werden. Leipzig: Thieme, 1889.

78. Miller, WA, Massler, M: Permeability and staining of active and arrested lesions in dentine. *Br Dent J* 112 (1962) 187.
79. Millward, TA, Wilson, M: The effect of sub-inhibitory concentrations of chlorhexidine on the proteolytic activity of *Bacteroides gingivalis*. *J Antimicrob Chemother* 25 (1990) 31-37.
80. Minhas, T, Greenman, J: The effects of chlorhexidine on the maximum specific growth rate, biomass and hydrolytic enzyme production of *Bacteroides gingivalis* grown in continuous culture. *J Appl Bacteriol* 67 (1989) 309-316.
81. Mundorff, SA, Eisenberg, AD, Leverett, DH, Espeland, MA, Proskin, HM: Correlation between numbers of microflora in plaque and saliva. *Caries Res* 24 (1990) 312-317.
82. Netuschil, L, Bruhn, G, Hoffmann, Th: Auswahl und Anwendung von oralen Chemoprophylaktika. *DFZ* 3 (2002) 1-5.
83. Øgaard, B: Prevalence of white spot lesions in 19-years-old: a study on untreated and orthodontically treated persons 5 years after treatment. *Am J Orthod dentofacial Orthop* 96 (1989) 423-427.
84. Øgaard, B: Cariological aspects of treatment with fixed orthodontic appliance. 1. Epidemiological data. *Kieferorthop Mitt* 5 (1992) 13-18.
85. Opperman, R: Effect of chlorhexidine on acidogenicity of dental plaque in vivo. *Scand J Dent Res* 87 (1979) 302-308.
86. Ostela, I, Karhuvaara, L, Tenovuo, J: Comparative antibacterial effects of chlorhexidine and stannous fluoride-amine fluoride containing dental gels against salivary mutans streptococci. *Scand J Dent Res* 99 (1991) 378-83.
87. O'Sullivan, A, Borgström, MK, Granath, L, Nilsson, G: Number of mutans streptococci or lactobacilli in a total dental plaque sample does not explain the variation in caries better than the numbers in stimulated saliva. *Community Dent Oral Epidemiol* 24 (1996) 159-163.
88. Pashley, DH, Livingstone, MJ: Effect of molecular size on permeability coefficients in human dentine. *Arch Oral Biol* 23 (1978) 391-395.
89. Perdok, JF, Van der Mei, HC, Genet, MJ, Rouxhet, PG, Busscher, HJ: Elemental surface enamel after application of chlorhexidine and adsorption of salivary constituents. *Caries Res* 23 (1989) 297-302.
90. Petersson, LG, Maki, Y, Twetman, S, Edwardsson, S: Mutans streptococci in saliva and interdental spaces after topical applications of an antibacterial varnish in schoolchildren. *Oral Microbiol Immunol* 6 (1991) 284-287.
91. Pienihäkkinen, K, Söderling, E, Ostela, I, Leskalä, I, Tenovuo, J: Comparison of the efficacy of 40% chlorhexidine varnish and 1% chlorhexidine-fluoride gel in decreasing the level of salivary mutans streptococci. *Caries Res* 29 (1995) 62-67.

92. Plotzitz, B, Kneist, S, Berger, J, Hetzer, G: Zur Prävention frühkindlicher Karies durch antimikrobielle Maßnahmen. *Oralprophylaxe und Kinderzahnheilkunde* 27 (2005) 118-124.
93. Prayitno, S, Addy, M: An in vitro study of factors affecting the development of staining associated with the use of chlorhexidine. *J Periodontal Res* 14 (1979) 397-402.
94. Rijkom van, HM, Truin, GJ, Hof, van` t MA: A meta-analysis of clinical studies on the caries-inhibiting effect of chlorhexidine treatment. *Caries Res* 75 (1996) 790-795.
95. Rijkom, van HM, Truin, GJ, Hof, van` t MA: A meta-analysis of clinical studies on the caries-inhibiting effect of fluoride gel treatment. *Caries Res* 32 (1998) 83-92.
96. Rogers, AH, Zilm, PS, Gully, NJ, Pfennig, AL: Chlorhexidine affects arginine metabolism as well as glycolysis in a strain of *Streptococcus sanguis*. *Oral Microbiol Immunol* 2 (1987) 178-182.
97. Roeters, FJ, van der Hoeven, JS, Burgerdijk, RC, Schaeken, MJM: Lactobacilli, mutans streptococci and dental caries: A longitudinal study in 2 years old children up to the age of 5 years. *Caries Res* 29 (1995) 272-279.
98. Rölla, G, Melsen, B: On the mechanism of the plaque inhibition of chlorhexidine. *J Dent Res* 54 (1975) Spec Iss B, 57-62.
99. Rosenbloom, RG, Tinanoff, N: Salivary streptococcus mutans levels in patients before, during and after orthodontic treatment. *Am J Orthod Dentofacial Orthop* 100 (1991) 35-37.
100. Rushton, A: Safety of Hibitane. II Human experience. *J Clin Periodontol* 4 (1977) 73-79.
101. Rye, RM, Wiseman, D: Effect of chlorhexidine upon ³²P release and cell viability in *Escherichia coli*. *J Pharm Pharmacol* 18 (1966) Suppl, 1-114.
102. Sandham, HJ, Brown, J, Phillips, HI, Chan, KH: A preliminary report on long term elimination of detectable mutans streptococci in man. *J Dent Res* 67 (1988) 9-14.
103. Sandham, HJ, Brown, J, Chan, KH: Clinical trial in adults of an antimicrobial varnish for reducing mutans streptococci. *J Dent Res* 70 (1991) 1401-1408.
104. Sandham, HJ, Nadeau, L, Phillips, HI: The effect of chlorhexidine varnish treatment on salivary mutans streptococcal levels in child orthodontic patients. *J Dent Res* 71 (1992) 32-35
105. Schaeken, MJM, de Jong, MH, Franken, HCM, van der Hoeven, JS: Effects of highly concentrated stannous fluoride and chlorhexidine regimes on human dental plaque flora. *J Dent Res* 65 (1986) 57-61.
106. Schaeken, MJM, de Haan, P: Effects of sustained release chlorhexidine acetate on the human dental plaque flora. *J Dent Res* 68 (1989) 119-123.

107. Schæken, MJM, van der Hoeven, JS, Hendriks, JCM: Effects of varnishes containing chlorhexidine on the human dental plaque flora. *J Dent Res* 68 (1989) 1786-1789.
108. Schæken, MJM, van der Hoeven, JS, van den Kieboom, CWA: Effect of chlorhexidine varnish on streptococci in dental plaque from occlusal fissures. *Caries Res* 28 (1994) 262-266.
109. Schæken, MJM, Beckers, MJA, van der Hoeven JS: Effect of chlorhexidine varnish on *Actinomyces naeslundii* genospecies in plaque from dental fissures. *Caries Res* 20 (1996) 40-44.
110. Scheie, AA, Arneberg, P, Krogstad, O: Effect of orthodontic treatment on prevalence of *Streptococcus mutans* in plaque and saliva. *J Dent Res* 92 (1984) 211- 217.
111. Scheie, AA, Kjeilen, JC: Effects of chlorhexidine, NaF and SnF₂ on glucan formation by salivary and culture supernatant GTF adsorbed to hydroxyapatite. *Scand J Dent Res* 95 (1987) 532-535.
112. Schiøtt, CR: Effect of chlorhexidine on the microflora of the oral cavity. *J Periodontol Res* 12 (1973) Suppl, 7-10.
113. Schiøtt, CR, Løe, H: The sensitivity of oral streptococci to chlorhexidine. *J Periodontal Res* 7 (1972) 192-194.
114. Schiøtt, CR, Briner, WW, Løe, H: Two year oral use of chlorhexidine in man. II. The effect on the salivary bacterial flora. *J Periodontal Res* 11 (1976a) 145-152.
115. Schiøtt, CR, Briner, WW, Kirkland, JJ, Løe, H: Two years oral use of chlorhexidine in man. III Changes in sensitivity of the salivary flora. *J Periodontal Res* 11 (1976b) 153-157.
116. Schiøtt, CR, Løe, H, Briner, WW: Two year oral use of chlorhexidine in man. IV. Effect on various medical parameters. *J Periodontal Res* 11 (1976c) 158-164.
117. Schröder, FW: Anwendung von Chlorhexidin-Spüllösungen. Inaktivierung des Chlorhexidins durch anionische Netzmittel in Mundpflegemitteln. *Oralprophylaxe* 22 (2000) 203-205.
118. Skold-Larsson, K, Fornell, AC, Lussi A, Twetman, S: Effect of topical applications of a chlorhexidine/thymolcontaining varnish on fissure caries assessed by laser fluorescence. *Acta Odontol Scand* 62 (2004) 339-342.
119. Sodhi, RNS, Grad, HA, Smith, DC: Examination by X-ray photoelectron spectroscopy of the adsorption of chlorhexidine on hydroxyapatite. *J Dent Res* 71 (1992) 1493-1497.
120. Spets-Happonen, S, Markkanen, H, Pollanen, L, Kauppinen, T, Luoma, H: Salivary streptococcus *mutans* count and gingivitis in children after rinsing with a chlorhexidine-fluoride solution with and without strontium. *Scand J Dent Res* 93 (1985) 329-335.
121. Stanley, A, Wilson, M, Newman, HN: The in vitro effects of chlorhexidine on subgingival plaque bacteria. *J Clin Periodontol* 16 (1989) 259-264.

122. Stiles, HM, Meyers, R, Brunelle, JA, Wittig, AR: Occurrence of *Streptococcus mutans* and *Streptococcus sanguis* in the oral cavity and feces of young children. In: Stiles, HM, Loesche, WJ, O'Brien, TC (eds): *Microbial aspects of dental caries: Proceedings of a workshop on microbial aspects of dental caries, June 21-24, 1976, St. Simon Island, Georgia*. Washington, DC: Information Retrieval, (1976) 187-199.
123. Strålsfors, A: Desinfection of dental plaque in man. *Odontol Tidskr* 70 (1962) 182-203.
124. Tenovuo, J, Hakkinen, P, Paunio, P: Effects of chlorhexidine gel treatments in mothers on the establishment of *mutans streptococci* in primary teeth and the development of dental caries in children. *Caries Res* 26 (1992) 275-280.
125. Thorild, I, Lindau, B, Twetman, S: Effect of maternal use of chewing gums containing xylitol, chlorhexidine or fluoride on *mutans streptococci* colonization in the mother's infant children. *Oral Health Prev Dent* 1 (2003) 53-57.
126. Twetman, S: Antimicrobials in future caries control? A review with special reference to chlorhexidine treatment. *Caries Res* 38 (2004) 223-229.
127. Twetman, S, Hallgren, A, Petersson, LG: Effect of antibacterial varnish on *mutans streptococci* in plaque from enamel adjacent to orthodontic appliances. *Caries Res* 29 (1995) 188-191.
128. Van Lunsen, DM, de Soet, JJ, Weerheijm, KL, Groen, HJ, Veerkamp, JSJ: Effects of dental treatment and single application of a 40% chlorhexidine varnish on *mutans streptococci* in young children under intravenous anaesthesia. *Caries Res* 34 (2000) 268-274.
129. Waaler, SM, Rølla, G: Effect of chlorhexidine and lanthanum on plaque formation. *Scand J Dent Res* 91 (1983) 260-262.
130. Waaler, SM, Rølla, G: Importance of teeth and tongue as possible receptor sites for chlorhexidine in relation to its clinical effect. *Scand J Dent Res* 93 (1985) 222-226.
131. Waaler, SM: Further in vivo studies on the plaque-inhibiting effect of chlorhexidine and its binding mechanism. *Scand J Dent Res* 98 (1990) 422-427.
132. Zickert, I, Emilson, CG, Krasse, B: Effect of caries preventive measures in children highly infected with the bacterium *Streptococcus mutans*. *Arch Oral Biol* 27 (1982) 861-868.
133. Zickert, I, Emilson, CG, Krasse, B: Microbial conditions and caries increment 2 years after discontinuation of controlled antimicrobial measures in Swedish teenagers. *Community Dent Oral Epidemiol* 15 (1987a) 241-244.
134. Zickert, I, Emilson, CG, Ekblom, K, Krasse, B: Prolonged oral reduction of *Streptococcus mutans* in humans after chlorhexidine disinfection followed by fluoride treatment. *Scand J Dent Res* 95 (1987b) 315-319.