

ZMK 9/06 (22) S. 534

Dr. Dr. Andres Stricker

Literaturliste zum Artikel: „Bonesplitting als transversale Augmentationsmethode zur Optimierung des Implantatlagers“.

1. Scipioni A, Bruschi GB, Calesini G.: The edentulous ridge expansion technique: a five-year study., *Int J Periodontics Restorative Dent.* 1994 Oct;14(5):451-9
2. Basa S, Varol A, Turker N.: Alternative bone expansion technique for immediate placement of implants in the edentulous posterior mandibular ridge: a clinical report. *Int J Oral Maxillofac Implants.* 2004 Jul-Aug;19(4):554-8
3. Enislidis G, Wittwer G, Ewers R.: Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants.* 2006 May-Jun;21(3):445-9
4. Block MS, Degen M.: Horizontal ridge augmentation using human mineralized particulate bone: preliminary results. *J Oral Maxillofac Surg.* 2004 Sep;62(9 Suppl 2):67-72.
5. Siddiqui AA, Sosovicka M.: Lateral bone condensing and expansion for placement of endosseous dental implants: a new technique. *J Oral Implantol.* 2006;32(2):87-94.
6. Suh JJ, Shelemay A, Choi SH, Chai JK.: Alveolar ridge splitting: a new microsaw technique. *Int J Periodontics Restorative Dent.* 2005 Apr;25(2):165-71.
7. Coatoam GW, Mariotti A.: The segmental ridge-split procedure. *J Periodontol.* 2003 May;74(5):757-70.
8. Takahashi T, Funaki K, Shintani H, Haruoka T.: Use of horizontal alveolar distraction osteogenesis for implant placement in a narrow alveolar ridge: a case report. *Int J Oral Maxillofac Implants.* 2004 Mar-Apr;19(2):291-4.
9. Garcia-Garcia A, Somoza-Martin M, Gandara-Vila P, Saulacic N, Gandara-Rey JM.: Horizontal alveolar distraction: a surgical technique with the transport segment pedicled to the mucoperiosteum. *J Oral Maxillofac Surg.* 2004 Nov;62(11):1408-12

10. Ferrigno N, Laureti M.: Surgical advantages with ITI TE implants placement in conjunction with split crest technique. 18-month results of an ongoing prospective study. *Clin Oral Implants Res.* 2005 Apr;16(2):147-55.
11. Guirado JL, Yuguero MR, Carrion del Valle MJ, Zamora GP.: A maxillary ridge-splitting technique followed by immediate placement of implants: a case report. *Implant Dent.* 2005 Mar;14(1):14-20.
12. Oikarinen KS, Sandor GK, Kainulainen VT, Salonen-Kemppi M.: Augmentation of the narrow traumatized anterior alveolar ridge to facilitate dental implant placement. *Dent Traumatol.* 2003 Feb;19(1):19-29.
13. Raghoobar GM, Batenburg RH, Vissink A, Reintsema H.: Augmentation of localized defects of the anterior maxillary ridge with autogenous bone before insertion of implants. *J Oral Maxillofac Surg.* 1996 Oct;54(10):1180-5; discussion 1185-6.
14. Nystrom E, Legrell PE, Forssell A, Kahnberg KE: Combined use of bone grafts and implants in the severely resorbed maxilla. Postoperative evaluation by computed tomography. *Int J Oral Maxillofac Surg.* 1995 Feb;24(1 Pt 1):20-5.
15. Van Steenberghe D, Quirynen M, DeKeyser C.: Osseointegrated implants ad modum Branemark in the oral rehabilitation of patients with advanced periodontal breakdown] *Parodontol.* 1990;1(1):45-54.
16. Jensen J, Sindet-Pedersen S, Oliver AJ.: Varying treatment strategies for reconstruction of maxillary atrophy with implants: results in 98 patients. *J Oral Maxillofac Surg.* 1994 Mar;52(3):210-6; discussion 216-8.
17. **Widmark G, Andersson B, Carlsson GE, Lindvall AM, Ivanoff CJ. Rehabilitation of patients with severely resorbed maxillae by means of implants with or without bone grafts: a 3- to 5-year follow-up clinical report.** *Int J Oral Maxillofac Implants.* 2001 Jan-Feb;16(1):73-9
18. Astrand P, Borg K, Gunne J, Olsson M.: Combination of natural teeth and osseointegrated implants as prosthesis abutments: a 2-year longitudinal study. *Int J Oral Maxillofac Implants.* 1991 Fall;6(3):305-12.
19. Balshi TJ, Magid MJ.: Mandibular rehabilitation: a case study using inferior cadaver graft. *Int J Oral Maxillofac Implants.* 1995 Sep-Oct;10(5):589-94

20. McGrath CJ, Schepers SH, Blijdorp PA, Hoppenreijts TJ, Erbe M.: Simultaneous placement of endosteal implants and mandibular onlay grafting for treatment of the atrophic mandible. A preliminary report. *Int J Oral Maxillofac Surg.* 1996 Jun;25(3):184-8.