

ZMK (23) 3/07, S. 154 ff.

Dr. Marco Georgi

Konzept einer modernen endodontischen Behandlung nach Schilder

1. Baumgartner JC, Mader CL: A scanning electron microscopic evaluation of four root canal irrigation regimens, J Endod 13:147,1987.
2. Berutti E, Chiandussi G, Gaviglio I, Ibba A: Comparative analysis of torsional and bending stresses in two mathematical models of nickel-titanium rotary instruments: protaper versus profile, J Endod 29: 1, pp. 15-19, 2003.
3. Berutti E, Marini R: A scanning electron microscopic evaluation of the debridement capability of sodium hypochlorite at different temperatures, J Endod 22:9, pp. 467-470,1996.
4. Berutti E, Negro AR, Lendini M, Pasqualini D: Influence of manual preflaring and torque on the failure rate of protaper rotary instruments, J Endod 30:4, pp. 228-230, 2004.
5. Blum JY, Machtou P, Ruddle CJ, Micallef JP: The analysis of mechanical preparations in extracted teeth using protaper rotary instruments: value of the safety quotient, J Endod 29:9, pp. 567-575, 2003.
6. Brown OC, Moore BK, Brown Jr CE, Newton CW: An in vitro study of apical extrusion of sodium hypochlorite during endodontic canal preparation, J Endod 21 :12, pp. 587-591, 1995.
7. Burns RC, Herbranson EJ: Ch. 7, Tooth morphology and cavity preparation. In Cohen S, Buens RC, editors: Pathways of the Pulp,7th ed., Mosby, St. Louis, 1998.
8. Cameron JA: The synergistic relationship between ultra-sound and sodium hypochlorite: A scanning electron microscope evaluation, J Endod 13:541, 1987.
9. Cunningham W, Balekjian A: Effect of temperature on collagen dissolving ability of sodium hypochlorite irrigating solution, Oral Surg 49:175, 1980.
10. Farzaneh, M., S. Abitbol, et al. (2004). "Treatment outcome in Endodontics – the Toronto Study, Phase II: initial treatment." J. Endod 30(5): 302-9.
11. Goldberg F, Speilberg C: The effect of EDTAC and the variations of its working time analyzed with scanning electron microscopy, Oral Surg 53:74, 1982.
12. Goldman, A., Schilder, H. and Aldrich, W. The Thermomechanical Properties of Gutta Percha, 11. The History and Molecular Chemistry of Gutta Percha, Oral Surg, 37:954,1974.
13. Goodman A, Schilder H, Aldrich W: The Thermomechanical Properties of Gutta Percha, IV. A Thermal Profile of the Warm Gutta Percha Packing Procedure, Oral Surg,5:544,May 1981.
14. Grey GC: The capabilities of sodium hypochlorite to digest organic debris from root canals with emphasis on accessory canals, Masters Thesis, Boston University, 1970.

15. Gurney B F, Best EJ, Gervasio G: Physical Measurements of Gutta Percha, Oral Surg, 32:260, August 1971.
16. Hess W: Anatomy of the Root Canals of the Teeth of the Permanent Dentition, New York, William Wood and Co., 1925.
17. Levin H: Access cavities, Dent Clin North Am p. 701, November, 1967.
18. Kim S. Modern endodontic practice: Instruments and techniques. Dent Clin N Am 2004;48:1-9
19. Kim S, Baek S. The microscope and endodontics. Dent Clin N Am 2004;48:11-18
20. Mandel E, Machtou P, Friedman S: Scanning electron microscope observation of canal cleanliness, J Endod 16(6):279-283, 1990.
21. Marlin J, and Schilder H: Physical Properties of Gutta Percha When Subjected to Heat and Vertical Condensation, Oral Surg, 36:872, December 1973.
22. Martin D, Amor J, Machtou P: Mechanized endodontics: the protaper system, principles and clinical protocol, Revue d'Odonto Stomatologie 31:1, pp. 33-42, 2002.
23. Pagavino G, Pace R, Baccetti T: A SEM study of in vivo accuracy of the Root ZX electronic apex locator, J Endod 24:6, pp. 438-441, 1998.
24. Perrin P, Jacky D, Hertz P. Das Operationsmikroskop in der zahnärztlichen Allgemeinpraxis. Schweizer Monatsschrift Zahnmedizin 2000;110:947-55
25. Reddy SA, Hicks ML: Apical extrusion of debris using two hand and two rotary instrumentation techniques, J Endod 24: 180-183, 1998.
26. Ruddle C J: Erfolgreiche strategien bei der preparation des Wurzelkanals, Endodontie 3:217-232. Quintessenz, Berlin, Germany, 1994.
27. Ruddle CJ: Ch. 8, Cleaning and shaping root canal systems. In Cohen S, Burns RC, editors: Pathways of the Pulp, pp. 231-291, 8th ed., Cohen and Burns, Mosby / Harcourt, St. Louis, 2002.
28. Ruddle CJ: Ch. 9, Obturation of the root canal system; Threedimensional obturation: The rationale and application of warm gutta percha with vertical condensation. In Cohen S, Burns RC, editors: Pathways of the Pulp, pp. 243-247, 6th ed., Mosby Co., St. Louis, 1994.
29. Ruddle CJ: The protaper endodontic system, Endodontic Practice 5:1, pp. 34-44, 2002.
30. Schilder H, Goodman A, Aldrich W: The Thermomechanical Properties of Gutta Percha, 111. Determination of Phase Transition Temperatures for Gutta Percha, Oral Surg, 38:109, 1974.
31. Schilder H: Cleaning and shaping the root canal system, Dent Clin North Am, 18:2, pp.269-296, 1974.
32. Schilder H: Filling Root Canals in Three Dimensions, Dent Clin North Am, 11:723, 1967.

33. Serota KS, Glassman GO: Root canal preparation using engine-driven Nickel-Titanium rotary instruments, *Pract Periodont Aesthet Dent* 11:9, pp.1117-1122, 1999.
34. Shabahang S, Goon WWY, Gluskin AH: An in vitro evaluation of Root ZX electronic apex locator, *J Endod* 22:11, pp. 616-618, 1996.
35. Shabahang S, Goon WWY, Gluskin AH: An in vitro evaluation of Root ZX electronic apex locator, *J Endod* 22:11, pp. 616-618, 1996.
36. Siqueira Jr JF, Batista M, Fraga RC, de Uzeda M: Antibacterial effects of endodontic irrigants on black-pigmented gram-negative anaerobes and facultative bacteria, *J Endod* 24:6, pp. 414-416, 1998.
37. Stewart GG: A scanning electron microscopic study of the cleansing effectiveness of three irrigating modalities on the tubular structure of dentin, *J Endod* 24:7, pp. 485-486, 1998.
38. Swindle RB, Neaverth EJ, Pantera EA, Ringle RO: Effect of coronal-radicular flaring on apical transportation, *J Endod* 17:4, pp. 147-149, 1991.
39. Veltri M, Mollo A, Pini PP, Ghelli LF, Balleri P: In vitro comparison of shaping abilities of Protaper and GT rotary files, *J Endod* 30:3, pp. 163-166, 2004.
40. Velvart P. Das Operationsmikroskop – neue Dimensionen in der Endodontie, *Schweizer Monatsschrift Zahnmedizin* 1996;106:357-65
Weine FS: The use of non-ISO tapered instruments for canal flaring, *Compend Contin Educ Dent* 17:651-663, 1996.
41. West JD: Endodontic Failures Marked by Lack of Three-Dimensional Seal. *The Endodontic Report*, Fall/Winter, p. 9, 1987.