

ZMK (23) 6/07, S. 391 ff.

Dr. David Sonntag

Literatur zum Artikel „Infektionen im Kanalsystem; mehr als nur ein lokales Problem“

1. al Omari MA, Dummer PM, (1995) Canal blockage and debris extrusion with eight preparation techniques. *J Endod.* 21, 154-158.
2. Beeson TJ, Hartwell GR, Thornton JD, Gunsolley JC, (1998) Comparison of debris extruded apically in straight canals: conventional filing versus profile .04 Taper series 29. *J Endod.* 24, 18-22.
3. Bellizzi R, Cruse WP, (1980) A historic review of endodontics, 1689-1963, part 3. *J Endod.* 6, 576-580.
4. Billings F, (1912) Chronic focal infections and their etiologic relation to arthritis and nephritis. *Arch Int Med* 9, 484-498.
5. Boucher Y, Matossian L, Rilliard F, Machtou P, (2002) Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation. *Int.Endod.J* 35, 229-238.
6. Brauner AW, Conrads G, (1995) Studies into the microbial spectrum of apical periodontitis. *Int.Endod.J* 28, 244-248.
7. Brynolf I., (1967) A histological and roentgenological study of the periapical region of human upper incisors. *Odontolo Rev* 18 (Suppl 1), 1-4.
8. Buckley M, Spangberg LS, (1995) The prevalence and technical quality of endodontic treatment in an American subpopulation. *Oral Surg.Oral Med.Oral Pathol.Oral Radiol.Endod.* 79, 92-100.
9. Caplan DJ, (2004) Epidemiologic issue in studies of association between apical periodontitis and systemic health. *Endodontic Topics* 8, 15-35.
10. Caplan DJ, Chasen JB, Krall EA, Cai J, Kang S, Garcia RI et al., (2006) Lesions of endodontic origin and risk of coronary heart disease. *J Dent Res.* 85, 996-1000.
11. De Cleen MJ, Schuurs AH, Wesselink PR, Wu MK, (1993) Periapical status and prevalence of endodontic treatment in an adult Dutch population. *Int.Endod.J* 26, 112-119.
12. De Moor RJ, Hommez GM, De Boever JG, Delme KI, Martens GE, (2000) Periapical health related to the quality of root canal treatment in a Belgian population. *Int.Endod.J* 33, 113-120.
13. Dugas NN, Lawrence HP, Teplitsky PE, Pharoah MJ, Friedman S, (2003) Periapical health and treatment quality assessment of root-filled teeth in two Canadian populations. *Int.Endod.J* 36, 181-192.
14. Eckerbom M, Andersson JE, Magnusson T, (1987) Frequency and technical standard of endodontic treatment in a Swedish population. *Endod.Dent Traumatol.* 3, 245-248.
15. Eriksen HM (1998) Epidemiology of apical periodontitis. In: Ostervik DPG TR, ed. *Essential Endodontology Prevention and Treatment of Apical Periodontitis*, 1. edn. Oxford: Blackwell Science Ltd.

16. Eriksen HM, Berset GP, Hansen BF, Bjertness E, (1995) Changes in endodontic status 1973-1993 among 35-year-olds in Oslo, Norway. *Int.Endod.J* 28, 129-132.
17. Eriksen HM, Bjertness E, (1991) Prevalence of apical periodontitis and results of endodontic treatment in middle-aged adults in Norway. *Endod.Dent Traumatol.* 7, 1-4.
18. Eriksen HM, Bjertness E, Orstavik D, (1988) Prevalence and quality of endodontic treatment in an urban adult population in Norway. *Endod.Dent Traumatol.* 4, 122-126.
19. Frisk F, Hakeberg M, Ahlqwist M, Bengtsson C, (2003) Endodontic variables and coronary heart disease. *Acta odontol Scand* 61, 257-262.
20. Hinrichs RE, Walker WA, III, Schindler WG, (1998) A comparison of amounts of apically extruded debris using handpiece-driven nickel-titanium instrument systems. *J Endod.* 24, 102-106.
21. Hujoel PP, (2002) Does chronic periodontitis cause coronary heart disease? A review of the literature. *J Am Dent Assoc* 133 Suppl, 31S-36S.
22. Hujoel PP, Drangsholt M, Spiekerman C, Derouen TA, (2001) Examining the link between coronary heart disease and the elimination of chronic dental infections. *J Am Dent Assoc* 132, 883-889.
23. Jimenez-Pinzon A, Segura-Egea JJ, Poyato-Ferrera M, Velasco-Ortega E, Rios-Santos JV, (2004) Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population. *Int.Endod.J* 37, 167-173.
24. Kirkevang LL, Horsted-Bindslev P, Orstavik D, Wenzel A, (2001) Frequency and distribution of endodontically treated teeth and apical periodontitis in an urban Danish population. *Int.Endod.J* 34, 198-205.
25. Krall EA, Abreu SC, Garcia C, Nunn ME, Caplan DJ, Garcia RI, (2006) Cigarette smoking increases the risk of root canal treatment. *J Dent Res* 85, 313-317.
26. Marending M, Peters OA, Zehnder M, (2005) Factors affecting the outcome of orthograde root canal therapy in a general dentistry hospital practice. *Oral Surg.Oral Med.Oral Pathol.Oral Radiol.Endod.* 99, 119-124.
27. Marques MD, Moreira B, Eriksen HM, (1998) Prevalence of apical periodontitis and results of endodontic treatment in an adult, Portuguese population. *Int.Endod.J* 31, 161-165.
28. Miller M, (1891) The human mouth as a focus of infection. *Dent Cosmos* 33, 689-695.
29. Murray M, Moosnick F, (1941) Incidence of bacteriemia in patients with dental disease. *J Labor Clin Med* 26, 801-802.
30. Odesjo B, Hellden L, Salonen L, Langeland K, (1990) Prevalence of previous endodontic treatment, technical standard and occurrence of periapical lesions in a randomly selected adult, general population. *Endod.Dent Traumatol.* 6, 265-272.

31. Orstavik D, Kerekes K, Eriksen HM, (1986) The periapical index: a scoring system for radiographic assessment of apical periodontitis. *Endod.Dent Traumatol.* 2, 20-34.
32. Reit C, Grondahl HG, (1983) Application of statistical decision theory to radiographic diagnosis of endodontically treated teeth. *Scand J Dent Res.* 91, 213-218.
33. Ricucci D, Mannocci F, Ford TR, (2006) A study of periapical lesions correlating the presence of a radiopaque lamina with histological findings. *Oral Surg.Oral Med.Oral Pathol.Oral Radiol.Endod.* 101, 389-394.
34. Rosenow EC, (1919) Studies on elective localisation. *J Dent Res* 1, 205-219.
35. Saunders WP, Saunders EM, Sadiq J, Cruickshank E, (24-5-1997) Technical standard of root canal treatment in an adult Scottish sub-population. *Br.Dent J* 182, 382-386.
36. Segura-Egea JJ, Jimenez-Pinzon A, Rios-Santos JV, Velasco-Ortega E, Cisneros-Cabello R, Poyato-Ferrera M, (2005) High prevalence of apical periodontitis amongst type 2 diabetic patients. *Int.Endod.J* 38, 564-569.
37. Shafer WG, Hine M.K. LBM, (1983) A textbook of oral pathology, 4th edn. Philadelphia: W.B. Saunders Co.
38. Sidaravicius B, Aleksejuniene J, Eriksen HM, (1999) Endodontic treatment and prevalence of apical periodontitis in an adult population of Vilnius, Lithuania. *Endod.Dent Traumatol.* 15, 210-215.
39. Soikkonen KT, (1995) Endodontically treated teeth and periapical findings in the elderly. *Int.Endod.J* 28, 200-203.
40. Strindberg LZ, (1956) The dependence of the result of pulp therapy on certain factors. An analytical study based on radiographic and clinical follow-up examination. *Acta odontol Scand* 14 (suppl 21), 1-174.
41. Sunde PT, Tronstad L, Eribe ER, Lind PO, Olsen I, (2000) Assessment of periradicular microbiota by DNA-DNA hybridization. *Endod.Dent Traumatol.* 16, 191-196.
42. Tinaz AC, Alacam T, Uzun O, Maden M, Kayaoglu G, (2005) The effect of disruption of apical constriction on periapical extrusion. *J Endod.* 31, 533-535.
43. Weiger R, Hitzler S, Hermle G, Lost C, (1997) Periapical status, quality of root canal fillings and estimated endodontic treatment needs in an urban German population. *Endod.Dent Traumatol.* 13, 69-74.