

ZMK (23) 10/07, S. 630 ff.

Prof. Dr. Michael Behr

Zementierung von festsitzenden Restaurationen auf dentalen Implantaten

1. Jemt T, Lekholm U, Adell R. Osseointegrated implants in the treatment of partially edentulous patients: a preliminary study on 876 consecutively places fixtures. *Int J Oral Maxillofac Implants* 1989;4:211-217.
2. Michalakis KX, Hirayama H, Garefis PD. Cement-retained versus screw-retained implant restorations: a critical review. *Int J Oral Maxillofac Implants* 2003;18:719-728.
3. Scarano A, Assenza B, Piattelli M, Lezzi G, Leghissa GC, Quaranta A, Tortora P, Piatelli A. A 16-year study of the microgap between 272 human titanium implants and their abutments. *J Oral Implantol* 2005;31:269-275.
4. Keller W, Bragger U, Mobelli A. Peri-implant microflora of implants with cemented and screw retained suprastructures. *Clin Oral Impl Res* 1998;9:209-217.
5. Bernal G, Okamura M, Munoz CA. The effect of abutment taper, length and cement type on the resistance to dislodgement of cement-retained, implant-supported restorations. *J Prosthodont* 2003;12:111-115.
6. Agar JR, Cameron SM, Hughbanks JC, Parker MH. Cement removal from restorations luted to titanium abutments with simulated subgingival margins. *J Prosthet Dent* 1997;78:43-47.
7. Rapley JW, Swan RH, Hallmon WW, Mills MP. The surface characteristics produced by various oral hygiene instruments and materials on titanium implant abutments. *Int J Oral Maxillofac Implants* 1990;5:47-51.
8. Darvell BW. Cements and Liners. In: *Materials Science for Dentistry*. 9th Edition; The University of Hong Kong 2002:190-220.
9. Zarone F, Sorrentino R, Vaccaro F, Russo S, De Simone G. Retrospective clinical evaluation of 86 Procera AllCeram anterior single crowns on natural and implant-supported abutments. *Clin Implant Dent Relat Res* 2005;7 Suppl 1:95-103.
10. Weber HP, Kim DM, Ng MW, Hwang JW, Fiorellini JP. Peri-implant soft-tissue health surrounding cement- and screw-retained implant restorations: a multicenter, 3-year prospective study. *Clin Oral Impl Res* 2006;17:375-379.
11. Nedir R, Bischof M, Szukler-Moncler S, Belser UC, Samson J. Prosthetic complications with dental implants. *Int J Oral Maxillofac Implants* 2006;21:919-928.
12. Parein AM, Eckert SE, Wollan PC, Keller EE. Implant reconstruction in the posterior mandible: A long-term retrospective study. *J Prosthet Dent* 1997;78:34-42.
13. Behr M, Lang R, Leibrock A, Rosentritt M, Handel G. Complication rate with prosthodontic reconstructions on ITI and IMZ dental implants. *Clin Oral Impl Res* 1998;9:51-58.
14. Torrado E, Ercoli C, Mardini MA, Graser GN, Tallents RH, Cordaro L. A comparison of the porcelain fracture resistance of screw-retained and cement-retained implant-supported metal-ceramic crowns. *J Prosthet Dent* 2004;91:532-537.

15. Van Winkelhoff AJ, Goene RJ, Benschop C, Folmer T. Early colonization of dental implants by putative periodontal pathogens in partially edentulous patients. *Clin Oral Impl Res* 2000;11:511-520.
16. Zipprich H, Weigel P, Lange B, Lauer HC. Erfassung, Ursachen und Folgen von Mikrobewegungen am Implantat-Abutment-Interface. *Implantologie* 2007;15:31-46.
17. Heinemann F, Mundt T, Biffar R. Retrospective evaluation of temporary cemented, tooth and implant-supported fixed partial dentures. *J Cranio Maxillofac Surg* 2006;34 Suppl 2:86-90.
18. Pan YH, Ramp LC, Lin CK, Liu PR. Retention and leakage of implant-supported restorations luted with provisional cement: a pilot study. *J Oral Rehabil* 2007;34:206-212.
19. Squier RS, Agar JR, Duncan JP, Taylor TD. Retentiveness of dental cements used with metallic implant components. *Int J Oral Maxillofac Implants* 2001;16:793-798.
20. Mansor A, Ercoli C, Graser G, Tallents R, Moss M. Comparative evaluation of casting retention using ITI solid abutment with six cements. *Clin Oral Impl Res* 2002;13:343-348.
21. Kaar D, Oshida Y, Andres CJ, Barco MT, Platt JA. The effect of fatigue damage on the force required to remove a restoration in a cement-retained implant system. *J Prosthodont* 2006;15:289-294.
22. Rinke S. Temporary cementation of Zirconia-based single crowns and FPDs. Results from a clinical trial. *J Dent Res* 2003; 82 special issue B, abstract # 0818.
23. Plein T, Behr M, Rosentritt M, Handel G. Fracture resistance of temporary cemented zirconia crowns on dental implant abutments. 2007 submitted.