

**ZMK 10 (24), S. 654-670**

**Abformung – was ist zu bedenken?**

**PD Dr. Dr. Andree Piwowarczyk, Christian M. Paffrath**

1. 3M ESPE Produktdossier Impregum Penta Soft. Physikalisch-technische Daten, 3M ESPE, Seefeld
2. Akca K, Cehreli MC. Accuracy of 2 impression techniques for ITI implants. *Int J Oral Maxillofac Implants* 2004; 19: 517-523
3. Balkenhol M, Ferger P, Wöstmann B. Dimensional accuracy of 2-stage putty-wash impressions: influence of impression trays and viscosity. *Int J Prosthodont* 2007; 20: 573-575
4. Balkenhol M, Wöstmann B, Kanehira M, Finger WJ. Shark fin test and impression quality: A correlation analysis. *J Dent* 2007; 35: 409-415
5. Berg JC, Johnson GH, Lepe X, Adán-Plaza S. Temperature effects on the rheological properties of current polyether and polysiloxane impression materials during setting. *J Prosthet Dent* 2003; 90: 150-161
6. Binon PP. Evaluation of machining accuracy and consistency of selected implants, standard abutments and laboratory analogs. *Int J Prosthodont* 1995; 8: 284.
7. Burns J, Palmer R, Howe L, Wilson R. Accuracy of open tray implant impressions: an in vitro comparison of stock versus custom trays. *J Prosthet Dent* 2003; 89: 250-255
8. Cho GC, Chee WW. Distortion of disposable plastic stock trays when used with putty vinyl polysiloxane impression materials. *J Prosthet Dent* 2004; 92: 354-358
9. Corso M, Abanomy A, Di Canzio J, Zurakowski D, Morgano SM. The effect of temperature changes on the dimensional stability of polyvinyl siloxane and polyether impression materials. *J Prosthet Dent* 1998; 79: 626-631
10. Csillag M, Nyiri G, Vag J, Fazekas A. Dose-related effects of epinephrine on human gingival blood flow and crevicular fluid production used as a soaking solution for chemo-mechanical tissue retraction. *J Prosthet Dent* 2007; 97: 6-11
11. de Camargo LM, Chee WWL, Donovan TE. Inhibition of polymerisation of polyvinyl siloxanes by medicaments used on gingival retraction cords. *J Prosthet Dent* 1993; 70: 114-117
12. Dumfahrt H, Schäffer H. Zum Dimensionsverhalten bei verschiedenen Abformverfahren mit gummielastischen Massen in der Inlay-, Kronen- und Brückentechnik. *Z Stomat* 1987; 84: 231-239
13. Dunne JT, Zech J. Investigations on the force required for removal of polyether impressions. *J Dent Res* 2000; 7: 448
14. Fenske C, Sadat-Khonsari MR, Jüde HD. Der Einfluss verschiedener Abformtechniken auf die Dimensionstreuung von Modellstümpfen. *Dtsch Zahnärztl Z* 2001; 56: 35-38
15. Hirschfelder C, Grüner M, Stark H, Helfgen EH. Dimensionsstabilität von Abdrucklöffeln und –material mit Blick auf die offene Implantatabformung. *Dtsch Zahnärztl Z* 2008; 63: 418-423

16. Johnson GH. Impression Materials. In: Craig RG, Powers JM (Hrsg): Restorative Dental Materials. Mosby, St.Louis 2002: 329-389
17. Jokstad A. Clinical trial of gingival retraction cords. J Prosthet Dent; 1999; 81: 285-261
18. Karlsson S. A clinical evaluation of fixed bridges, 10 years following insertion. J Oral Rehabil 1986; 55: 197-203
19. Keck SC. Automixing: a new concept in elastomeric impression material delivery systems. J Prosthet Dent 1985; 54: 479-83
20. Kern M, Schaller H, Strub JR. Randschluss von Konuskronen vor und nach der Zementierung. Quintess Zahnärztl Lit 1993; 45: 37
21. Kerschbaum T, Thie BM. Funktionsverlust von festsitzendem Zahnersatz. Dtsch Zahnärztl Z 1986; 41: 2-7
22. Kim S, Nicholls JI, Han CH, Lee KW. Displacement of implant components from impressions to definitive casts. Int J Oral Maxillofac Implants 2006; 21: 747-755
23. Kimoto K, Tanaka K, Toyoda M, Ochiai KT. Indirect latex glove contamination and its inhibitory effect on vinyl polysiloxane polymerization. J Prosthet Dent 2005; 93: 433-488
24. Lepe X, Johnson, GH; Berg, JC. Surface characteristics of polyether and addition silicone impression materials after long-term disinfection. J Prosthet Dent 1995; 74: 181-186
25. Liou AD, Nicholls JI, Yuodelis RA, Brudvik JS. Accuracy of replacing three tapered transfer impression copings in two elastomeric impression materials. Int J Prosthodont 1993; 6: 377-383
26. Lorenzoni M, Pertl C, Penkner K, Polansky R, Sedaj B, Wegschneider A. Comparison of the transfer precision of three different impression materials in combination with transfer caps for the Frialit-2 system. J Oral Rehabil 2000; 27: 629-638
27. Ma, T, Nicholls, J, Rubenstein J. Tolerance measurements of various implant components. Int J Oral Maxillofac Implants 1997; 12: 371-375
28. Martignoni M, Schönenberger A. Präzision und Kronenkontur in der restaurativen Zahnheilkunde. Quintessenz, Berlin 1990
29. McCabe JF, Arikawa H. Rheological properties of elastomeric impression materials before and during setting. J Dent Res 1998; 77: 1874-1880
30. McCabe JF, Walls AWG. Impression materials: Classification and requirements. In: McCabe JF, Walls AWG (Hrsg): Applied dental materials. Blackwell Science, Oxford 1998: 118-126
31. Michalakis KX, Bakopoulou A, Hirayama H, Garefis DP, Garefis PD, Pre- and post-set hydrophilicity of elastomeric impression materials. J Prosthodont 2007; 16: 238-248
32. Mondon M, Ziegler C, Reusch B. Surface wettability during process of impression materials. J Dent Res 80, AADR Abstract 2001; 618: 113
33. O'Brien WJ: Dental materials and their selection. Chicago, IL, Quintessence 1997: 40-41

34. Rau G. Vereinfachung der Korrekturabformung mittels Trennfolie. Quintessenz 1998; 49: 1211-1214
35. Rupp F, Lee HR, Axmann D, Groten M, Geis-Gerstorfer J. Quantifizierung der Benetzungseigenschaften von hydrophilierten A-Silikonem und Polyethern während der Applikationsphase. Dtsch Zahnärztl Z 2005; 60: 587-592
36. Samet N, Shohat M, Livney A, Weiss EI. A clinical evaluation of fixed partial denture impressions. J Prosthet Dent 2005; 94: 112-117
37. Sorensen SE, Larsen IB, Jorgensen KB. Gingival and alveolar bone reaction to marginal fit of subgingival crown margins. Scand J Dent Res 1986; 94: 109-114
38. Walker MP, Petrie CS, Haj-Ali Ri, Spencer P, Dumas C, Williams K. Moisture effect on polyether and polyvinylsiloxane dimensional accuracy and detail reproduction J Prosthodont 2005; 14: 158-163
39. Whiteman Y, Nathanson D. Tear strength and dimensional accuracy of elastomeric impression materials. IADR Abstract 2007; 184
40. Wöstmann B, Deitermann J, Ferger P. Genauigkeit von Dual-Arch-Abformverfahren. Dtsch Zahnärztl Z 2003; 58: 514-516
41. Wöstmann B, Dohle A, Rettberg S. Zur Frage der in vivo erreichbaren Abformgenauigkeit. Dtsch Zahnärztl Z 1994; 49: 679-682
42. Wöstmann B, Höing M, Ferger P. Vergleich von hand- und maschinengemischtem Abformmassen (Pentamix-System). Dtsch Zahnärztl Z 1998; 53: 753-756