

ZMK 12 (24), 881–885

Dr. Jeff T. Blank

Naturgetreue Restauration mit Mikrohybrid-Komposit: Kanten-Transluzenz und individuelle Farbeffekte

1. Buonocore MG, Davila J. Restoration of fractured anterior teeth with ultraviolet-light-polymerized bonding materials: A new technique. *J Am Dent Assoc* 1973;86(6):1349-1354.
2. Leinfelder K, Sluder T, Santos J, Wall J. Five-year clinical evaluation of anterior and posterior restorations of composite resin. *Oper Dent* 1980;5(2):57-65.
3. Fahl N Jr, Denehy GE, Jackson RD. Protocol for predictable restoration of anterior teeth with composite resins. *Pract Periodont Aesthet Dent* 1995;7(8):13-21.
4. Mopper KW. The subtleties of anterior direct-bonded Class III restorations. *Pract Periodont* 1990;2(6):17-20.
5. Baratieri LN, Coral Neto AC, Monteiro Junior S, et al. The sandwich technique, an alternative treatment for tetracycline-stained teeth: A case report. *Quintessence Int* 1991;22(12):929-933.
6. Okuda WH. Achieving optimal aesthetics for direct and indirect restorations with microhybrid composite resins. *Pract Proced Aesthet Dent* 2005;17(3):177-184.
7. Terry DA. Contemporary composite resins. In: Terry DA. *Natural Aesthetics With Composite Resin*. Mahwah, NJ: Montage Media Corporation, 2004:20-37.
8. Koczarski MJ. Achieving natural aesthetics with direct resin composites: Predictable clinical protocol. *Pract Proced Aesthet Dent* 2005;17(8):523-525.
9. Fahl N Jr. Predictable aesthetic reconstruction of fractured anterior teeth with composite resins: A case report. *Pract Periodont Aesthet Dent* 1996;8(1):17-31.
10. Jackson RD. Understanding the characteristics of naturally shaded composite resins. *Pract Proced Aesthet Dent* 2003;15(8):577-585.
11. Terry DA. Enhanced resilience and esthetics in a Class IV restoration. *Compend Contin Educ Dent Suppl* 2000;21(26):19-25.
12. Terry DA, Leinfelder KF. An integration of composite resin with natural tooth structure: The class IV restoration. *Pract Proced Aesthet Dent* 2004;16(3):235-242.